

vug PHARMA

خبراء صناعة الدواء



Sales 01060030683
Admin 01273004108
01148777802

Info@vugpharma.com
www.vugpharma.com

scan me



Virumix Fort

Strong antiviral and immune booster

Product description

Each litre contains:

Lectins of mushroom	150 gm
Oregano essential oil	150 gm
Echinaceae extract	80 gm
Green tea extract	30 gm
Rosemarry extract	20 gm
Capsicum oleoresin	10 gm
Cinnamon oil	10 gm
Organic iodine	5 gm
Zinc chelate	5 gm
Selenium chelate	3 gm
Basil oil extract	2.5 gm
Other herbal extract	100 gm



- ✓ Virumix Fort Helps to reduce the incidence of bacterial and viral diseases
- ✓ Virumix Fort Helps the birds to recover faster during disease outbreak
- ✓ Virumix Fort Helps to improve the antibody titre with vaccination
- ✓ Virumix Fort Helps to repair the damaged epithelial tissues plays an important role in the healing of the organs, damaged due to infections
- ✓ Virumix Fort Anti - inflammatory activity of ANTIV reduces the inflammation of the affected organs, during disease outbreaks
- ✓ Virumix Fort Reduces the total flock mortality, and improves the overall performance of the birds

Dosage

1/4 – 1/2 ml Virumix Fort added to 1 litre of drinking water.

فيروميكس فورت (مضاد فيروسسي ورافع مناعه قوي)
فيروميكس فورت يستخدم كمضاد فيروسسي واسع المجال في حالات الاصابة بالفيروسات ذات الحمض النووي DNA والأخري ذات الحمض النووي RNA والتي تسبب العديد من الأمراض مثل النيوكاسل ND والالتهاب الشعبي IB والأنفلونزا AI والجمبورو IBD .
فيروميكس فورت يزيد معدل معدل سحب العلف مما يؤدي الي زيادة الأوزان نتيجة لخصائص الأعشاب المتعدده .
فيروميكس فورت محفز قوي للمناعه ومضاد اكسده فعال داخل الخلايا.

Magic mix

Immune booster and antiviral

Composition

camomile ext.	100 gm
star anise ext.	100gm
thymus vulgaris ext.	60gm
nigella sativa ext.	50gm
rosmary ext.	50gm
green tea ext.	80gm
cinnamon ext.	40gm
ginger ext.	30gm
black pepper ext.	30gm
red pepper ext.	30gm
peppermint ext.	50gm
Other herbal ext.	300gm
dissolvent up to 1 liter	



Indication

- ✓ Magic mix used as antiviral agent in treating or preventing virus diseases such as IB.
- ✓ Magic mix modulate the immune system in preventing viral-related diseases.
- ✓ Magic mix prevent multiplication of respiratory viral diseases especially IB.
- ✓ Magic mix exhibit antiviral , antimicrobial activities and inhibit cytopathic effect of virus
- ✓ Magic mix improve general health , activity and increase feed intake

Dosage

0.5-1 ml/liter of drinking water.

الاستخدام

ماجيك ميكس : رافع مناعه ومضاد فيروسي

ماجيك ميكس يستخدم كعامل مضاد للفيروسات في العلاج والوقايه من الامراض الفيروسيه مثل IB

ماجيك ميكس يعدل جهاز المناعه في الوقايه من الامراض المرتبطه بالفيروسات

ماجيك ميكس يمنع تكاثر الامراض الفيروسيه التنفسيه وخاصه IB

ماجيك ميكس يحسن الصحه العامه والنشاط ويزيد من تناول العلف

Herbacoxinal

Anticoccidiosis

Herbacoxinal is a well formulated product of different potent anti-coccidian ingredients (Di clazuril., yucca , tannic acid and aloe vera) which is very effective for the prevention and treatment of coccidiosis of all stages (including schizogony. and gametogony) of Eimeria spp. in kids, lambs and stop hemorrhages locally by a sufficient dose of tannic acid



INDICATIONS

Coccidiosis of all stages like schizogony and gametogony stages of Eimeria spp. in kids, lambs

SIDE EFFECTS

No undesirable side effects are to be expected when the prescribed dosage regimen is correctly followed.

Dosage

For oral administration only Poultry : 0.5 – 1 ml Of Herbacoxinal in 1 litre of pure drinking water for 3 – 5 days.

lambs : 4 ml per 10 kg body weight once daily.

Unless prescribed by veterinarians.

Keep in Cool Dry Place Away From Children's

For veterinary use only

Package: 500 ml

الاستخدام :

هيرباكوكسنال (مضاد كوكسيديا)

هيرباكوكسنال الاختيار الأمثل والأفضل في علاج الكوكسيديا في حالات العدوي الفيروسيه والتهابات الكلي وذلك بسبب جودة المواد المذييه (مواد طبيعيه غير ضاره) واحتوائه علي مستخلصات عشبيه عاليه الكفاءه في القضاء علي الكوكسيديا.

هيرباكوكسنال استخدام مواد مذييه للدايكلازوريل تسمح بالذوبان الكامل والحفاظ عليه من التكسير والتحلل بمرور الوقت.

Fost cure fort

Antimycoplasma and respiratory problems

Composition

Each 1 kg contain :

Echinacea extract	100gm
Liquorice extract	100gm
Turmeric extract	100gm
Mushroom extract	100gm
Bromohexine	10gm

Other natural antibacterial components



Indication

- ✓ Fost cure fort acts perfectly on gram +ve and gram -ve bacteria similar to action of fosfomycin ca 20% and tylosine 5%
- ✓ Fost cure fort contain bromohexine 10gm and oreganium extract 100gm which has broad spectrum effect on wide range of bacteria which affect respiratory and GIT of poultry
- ✓ Fost cure fort works properly in case of mycoplasmosis, colibacillosis, chronic respiratory disease in-poultry Staphylococcus infections, Avian Cholera, Escherichia coli, Pasteurella multocida, Salmonella enteritidis and infectious Coryza

Withdrawals Meat of treated animals must not be release to human consumption before 7 days after the last treatment

Dosage

0.25-0.5 gm /liter of drinking water

Package: 250 gm

الاستخدام :

فوست كيور فورت (مضاد للميكوبلازما ومشاكل الجهاز التنفسي)
 فوست كيور فورت يعمل بشكل مثالي علي البكتيريا الموجبه الجرام والسالبه
 فوست كيور فورت يعمل بشكل فعال في حالة داء الميكوبلازما وداء القولونيات وامراض الجهاز التنفسي المزمنه في الدواجن وكوليرا الطيور .
 فوست كيور فورت لا يستخدم في الدجاج البياض المنتج للبيض للاستهلاك الادمي
 تحذير يجب عدم طرح لحوم الحيوانات المعالجه للاستهلاك الادمي قبل ٧ ايام من اخر علاج

Composition

inulin	100gm
lectine	100gm
black seed extract	50gm
oreganium extract	100gm
pectine	20gm
bacillus subtilis	1*10 ¹¹ IU
Bacitracin	50%

Properties

- ✓ Enteromac makes an action similar to action of bacitracin 50% which targets primarily gram-positive bacteria, including Streptococci, Staphylococci, Clostridia, Fusobacterium and Actinomyces
- Bacitracin interferes with protein synthesis and cell wall production and induces cell lysis in microorganisms.

Indication

- ✓ Enteromac treats and prevents necrotic enteritis caused by Clostridium perfringens
- ✓ enteromac Improves growth rate and feed utilization by broiler chickens
- ✓ enteromac Improves gastrointestinal tract and regulate internal environment of GIT.
- ✓ Enteromac improves the structure and histomorphology of the intestinal mucosa and enhances absorption capacity.
- ✓ Enteromac improves immune system and systemic metabolism of minerals and lipids.
- ✓ Enteromac enhances intestinal micro biota through favoring quick proliferation of beneficial bifidbacterium and lactobacillus strains

Dosage 0.25-0.5 gm/liter of drinking water.

Package: 100 gm



الاستخدام :

- انتيروماك (مضاد كولستريديا)
- انتيروماك يعالج الالتهاب المعوي التنخري ويمنعه الذي يسببه مرض الكولستريديا
- انتيروماك يحسن معدل النمو واستخدام العلف للدجاج اللاحم
- انتيروماك يحسن الجهاز الهضمي وينظم البيئه الداخليه للجهاز الهضمي
- انتيروماك يحسن بنية وتشكيل الغشاء المخاطي المعوي ويعزز قدره علي الامتصاص
- انتيروماك يحسن جهاز المناعه والتمثيل الغذائي للمعادن والدهون

MOX TRIL WSP

Anti-clostridia

Composition

Sodium butyrate	200 gm
Bacitracin	250 gm
Amoxy	250 gm
Colistin	50 gm
Citric acid	100 gm
Tartaric acid	35 g



Efficacy

Drug of choice for effective treatment and control of Clostridium perfringens infection that consider the most serious challenge of poultry industry.

Has a strong broad-spectrum bactericidal action against enteric G-ve bacteria such as E. coli, Salmonella, Haemophilus, klebsiella, Proteus and Pseudomonas.

Properties

Focused to its innovative integrated formula, it has a potent bactericidal action against most serious enteric pathogens for optimum gut clearance.

based on structure of sodium butyrate leading to easily pass through bacterial membrane and inhibiting bacterial growth and bacterial cell damage.

Increasing lactic acid flora and maintain balance of gut flora function and population.

Reinforce intestinal defense barrier and has anti-inflammatory effect so greatly decrease incidence of diarrhea that resulted due to enteric microbial imbalance.

Stimulating intestinal epithelial development so increasing area of absorption for proper feed absorption and utilization for optimum growth rate.

Dosage & administration 70 gm/ ton body weight for 3-5 days.

package: 250 gm box

الاستخدام :

(مضاد كولستريديا) موكس تريل

موكس تريل الحل الامثل والعلاج الفعال للسيطرة علي مرض الكلوستريديا التي تعتبر اخطر تحد تواجه صناعة الدواجن .

موكس تريل له تأثير قوي واسع المدي ضد البكتيريا المعويه سالبة الجرام مثل اي كولاي والسالمونيلا

Intestinal antiseptic and anti-clostridia

Composition

Each 1liter contains:

Organic acids:

Sodium butyrate 98%	60gm
Propionic acid 99%	120gm
Lactic acid 80%	60gm
Glacial Acetic acid 99%	120gm
L-Tartaric acid 99%	35gm
Formic acid 85%	200gm
Distilled water up to 1 liter	

Natural oils:

Oregano oil	10gm
Carvacrol 70%	
Thymol 6%	
Cinnamaldehyde 70%	10gm
Neem oil	20gm
Allicin oil	5gm
Yucca schidigera liquid	10mL
Copper sulphate	25gm
MPG	50gm



Indications

- ✓ PRO CARE is highly indicated against most serious poultry pathogen Clostridium perfringens infections for optimum prevention, treatment and control.
- ✓ PRO CARE is highly effective against Gram-negative bacteria such as E. coli, Salmonella, Haemophilus, klebsiella, Proteus and Pseudomonas.
- ✓ PRO CARE has anti-parasitic properties.

Special features:

Has strong bactericidal action against enteric pathogens as (E. coli, Salmonella & Clostridium perfringens).

Enhancing intestinal epithelial development for increasing surface area of absorption based on enriched energy source of butyric acid from sodium butyrate.

Creating dynamic acidification to provide unsuitable environment for enteric pathogens for optimum gut clearance so improve feed digestion, absorption and utilization.

Supporting with high levels of anti-oxidants for detoxifying bacterial toxins for protecting against mortality rates due to bacterial enterotoxaemia.

Effectively protecting against common gut complains as diarrhea.

Has anti-inflammatory properties for relieving the pain based on pharmacological action of natural oils

Dosage & administration 0.5 ml/liter of drinking water for 3 days.

Package 500 ml

الاستخدام :

- بروكير (مطهر معوي ومضاد كلوستريديا)
- بروكير يستعمل بشكل كبير ضد اخطر مسببات امراض الدواجن كلوستريديا من أجل الوقاية والعلاج والسيطرة علي النحو الأمثل
- بروكير فعال للغاية ضد البكتيريا سالبة الجرام
- بروكير له مفعول قوي مبيد للجراثيم ضد مسببات الامراض المعوية
- بروكير له خصائص مضاده للطفيليات

Desole - fort

bronchodilator, mucolytic and expectorant
Product description

Each litre contains

Peppermint oil	50 gm
Eucalyptus oil	30 gm
Rosemary extract	25 gm
Boswellia extract	25 gm
Bromohexine	10 gm
Excipients to	1000 ml



Desole-fort is a modern highly effective natural ingredients Eucalyptus, boswellia , rosemary ,peppermint oil and Bromohexine that ensure effective anti-inflammatory hydrating and anti-oxidant and bronchodilatation properties in poultry and regeneration of damaged epithelium due to inflammation resulting from bacterial and viral infection and well prophylaxis of any clumping mass formation in trachea and bronchi for poultry and boosting vital energetic activity.

Dosage:

1/3 - 1/4 ml of Desole-forte is added to 1 litre of pure drinking water.

Unless prescribed by specialists

Package: 500 ml

الاستخدام :

(موسع شعب ومذيب للبلغم)

• ديسول فورت

مذيب للبلغم يستخدم في حالات الامراض التنفسية المرتبطة بالمخاط اللزج

• ديسول فورت

والكثيف

ينفرد بقدرته علي تحويل المخاط اللزج والمتجبن الي صورته مائيه ومن ثم

• ديسول فورت

سهولة طرده

يسهل عملية التنفس ويزيد من معدل دخول الهواء لدي الطائر ويزيد من مناعته

• ديسول فورت

وحيويته

MINTODIN VET

Bronchial expander

Composition

Each 1 liter contains:

Natural oils:

Eucalyptus oil	10gm
Cinnamaldehyde 70%	2gm
Mint oil	25gm
Guava leaf extract	5gm
Polysorbate 80	50gm
Sorbitol 70% up to 1 liter	



Indication

Indicated as supportive treatment against Viral diseases of respiratory system as IB, AI, ND & ILT.

Highly recommended in bacterial infections as E. Coli, Mycoplasma and CCRD.

Effectively used against common respiratory Complains including bronchitis, sinusitis, common cold, cough and flu for relieving respiratory problems.

Health Benefits

Has a blend of natural oils with high quality grades and potent medical properties for optimum relieving respiratory signs.

Has potent expectorant, mucolytic and anti-inflammatory properties.

Restoring normal function of respiratory tissue and Providing high healing properties.

Benefit for relieving sneezing, coughing, cold, flu, nasal discharge, sinusitis and bronchitis.

Highly effective for relaxation nasal passage muscle to clear mucous and reduce congestion.

Dosage & administration

- 0.5 ml /liter of drinking water for 3-5 successive days.
- 10 ml /liter for spraying.

Package: 500 ml

الاستخدام :

منتودين (موسع للشعب الهوائية)

يشار اليه كعلاج داعم ضد الامراض الفيروسيه للجهاز التنفسي

ينصح بشده في حالات العدوي البكتيرييه مثل الميكوبلازما

يستخدم بفاعليه ضد امراض الجهاز التنفسي الشائعه بما في ذلك التهاب الشعب الهوائيه

والتهاب الجيوب الانفيه ونزلات البرد والسعال والانفلونزا للتخفيف من مشاكل الجهاز التنفسي

multi benefit biological toxin binder Composition:

Each litre contains:

Saccharomyces cervisia alive probiotic	250.00 gm
Beta-glucan	62.50 gm
mannan oligosaccharides	50 gm
Enzymes lipase – cellulose - proteases	
Cyanara extract	35.00 gm
Choline HCl	70.00 gm
Methionine	20.00 gm
Lysine	25.00 gm
Betaine HCl	100.00 gm
Kaolin	55.00 gm
Lactobacillus acidophilus 20x10 ⁹	0.10 gm
Lactobacillus rutil 20x10 ⁹	0.10 gm
Lactobacillus planterium 20x10 ⁹	0.10 gm
Excipients to	1000 ml

Benefits

Synervet is a modern formula of both biological ingredients that ensures powerful detoxification of both chemical and biological toxins including mycotoxins and aflatoxins with powerful adsorption of organic toxins

Dosage

0.5 / 1 ml of synervet added to 1 litre of pure drinking water for 3_5 successive days.

Package: 500 ml



الاستخدام :

- سرفيت** (مضاد سموم بيولوجي)
- سرفيت** مضاد سموم بيولوجي للسموم الفطرية
- سرفيت** يتميز بالقضاء علي السموم في حالات العدوي الفيروسيه والتهابات الكلي
- سرفيت** لعدم احتوائه علي احماض عضويه
- سرفيت** يعمل كمنشط للنمو لإحتوائه علي مستخلص جذر الخمائر والبكتريا النافعه (بروبيوتك)
- سرفيت** يعمل كمنشط قوي للكبد لإحتوائه علي (بيتاين - سوربيتول - ميثايونين - سينارا - ليسين)

Let your poultry re-establish vital renal function with diuretic action

Composition

Each 1Kg contains:

Ammonium chloride	390 gm
Magnesium sulphate	200 gm
Sodium bicarbonate	200 gm
Potassium chloride	60 gm
Sodium chloride	10 gm
Sorbitol	50 gm

Excipients q.s. up to 1 Kg



Indications

Recommended in diseases affecting kidney function such as IB kidney form and infectious bursal disease (IBD).

Indicated in mycotoxicosis especially aflatoxin & ochratoxin toxicity for optimum elimination of their toxic metabolites.

Used as a beneficial aid to preserve kidney function after antibiotic & other drug therapy.

Efficiently used for treating GOUT (visceral form) especially in layers.

Properties

Acting as a diuretic for rapid elimination and excretion of toxic substances to preserve renal function after their hazard effects.

Supporting birds with adequate source of main electrolytes (Na, K & Cl) to preserve electrolyte balance.

Helping correct situations in which the blood contains too little chloride based on action of ammonium chloride.

Removing of excess salts and clear renal passage to prevent infections.

Dosage & administration:

0.5gm/liter of drinking water for 3 successive days.

Package:

1 kg box

الاستخدام

فيروستون (غسيل كلي ومدر للبول)

فيروستون يستخدم في الامراض التي تصيب وظائف الكلي المزمنة .

فيروستون يوصي به في التسمم الفطري خاصة سمية الأفلاتوكسين والأوكراتوكسين للتخلص الأمثل من نواتجها السامة

فيروستون يستخدم للحفاظ علي وظائف الكلي بعد العلاج بالمضادات الحيوية والادوية الأخرى

فيروستون يعمل كمدر للبول للتخلص السريع وإخراج المواد السامة للحفاظ علي وظائف الكلي بعد أثارها الخطرة

فيروستون إزالة الأملاح الزائدة وتنظيف مجري الكلي لمنع العدوي

**Combating challenges of mycotoxicosis
and re-establish vital functions**

Composition

Each 1Kg contains:

Saccharomyces cerevisiae extract	120gm
(Contains beta glucan& MOS)	
Organic acids:	
Propionic acid 99%	60gm
Glacial Acetic acid 99%	120gm
Lactic acid 80%	50gm
Formic acid 85%	150gm
Tartaric acid 99%	10gm
Citric acid anhydrous 99%	50gm
Lysine HCl	25gm
Betaine HCl	60gm
DL- Methionine	20gm
Sorbitol 70%	80gm
MPG	50gm
Distilled water up to 1liter	



Applications

Highly recommended in all cases of mild or severe mycotoxicosis such as OTA, AFB1, T-2 toxin, ZEN, and citrin in and other intoxications under different conditions.

Inhibiting the growth of most harmful fungi as (Aspergillus flavus, Penicillium purpurogenum, Rhizopus nigricans and Fusarium oxysporum) for optimum gut clearance based on potent organic acids level and antifungal properties of natural herbal extracts

Applications

Highly effective in eliminating mycotoxins based on biological and chemical reactions.

Binding with mycotoxins so reducing their bioavailability in digestive tract so protect from their hazard effects.

Organic acids help to control and reduce growth of harmful fungi especially aspergillus spp., eliminate mycotoxins, prevent their absorption from GIT and inhibit growth of enteropathogenic bacteria for optimum gut clearance.

Restoring normal functions of vital organs liver and kidney after hazard effects of mycotoxins.

Preserving optimum metabolic functions of liver for maintaining proper FCR and growth rate.

Decreasing incidence of ascites

Dosage & administration:

0.5 ml/liter of drinking water for 3 successive days.

Package:

1 liter

الاستخدام

فيتانكس (مضاد سموم بيولوجي وكيميائي)

فيتانكس يوصي به بشده في جميع حالات التسمم الفطري الخفيف أو الشديد .

فيتانكس يمنع نمو معظم الفطريات الضارة وذلك لإحتوائه علي الأحماض العضوية والخصائص المضادة للفطريات لمستخلصات الأعشاب الطبيعية.

فيتانكس ذو فعالية عالية في القضاء علي السموم الفطرية علي أساس التفاعلات الكيميائية والبيولوجية.

فيتانكس يقوم باستعادة الوظائف الطبيعية للأعضاء الحيوية الكبد والكلية بعد الأثار الخطيرة للسموم الفطرية.

فيتانكس يقوم بالحفاظ علي وظائف التمثيل الغذائي المثلي للكبد من أجل الحفاظ علي معدل النمو السليم و تقليل نسبة حدوث الأستسقاء

Hepatoprotective

Composition

Each 1 liter contains:	
Choline chloride 75%	40gm
Betaine HCl	80gm
Carnitine HCl	30gm
DL-Methionine	55gm
L-Lysine HCl	45gm
L-Threonine	40gm
L-Arginine	10gm
Taurine	10gm
Silymarin extract	10gm
Vit. B12 (cyanocobalamin) 2µg	
Zinc sulphate	5gm
Sodium selenite	0.5gm
Sorbitol 70%	100gm
Distilled water up to 1liter	



Indication

VENOROL is recommended as a supportive treatment in cases of liver affections as viral and bacterial infections affecting liver as ND, IBD, AI and salmonellosis.

VENOROL is adequate in cases of mild or severe hepatic insufficiencies, fatty liver, medication intoxications and other chemical intoxications.

VENOROL used in conditions of mycotoxicosis & during antibiotic therapy for optimum and rapid detoxification.

VENOROL is indicated for liver detoxification, optimum metabolic functions, healthy digestion and heart health

Special features

Protecting liver from adverse effects of endotoxin.

Promoting protein synthesis in liver for producing new cells help rapid healing and proper tissue repairing & regeneration.

Protecting liver against fatty liver syndrome, liver insufficiency & liver fibrosis.

Beside its effective hepatoprotective role, enhance other biological functions for optimum metabolic activity and FCR to obtain carcass with high quality and quantity.

Based on osmoregulation activity of betaine and effective role of carnitine on improving blood circulation, EVITAN tonic greatly decreases incidence of ascites.

Silymarin extract has a super potent antioxidant effect that increase antioxidant enzymes in liver for optimum detoxification so protect liver against endotoxins

Dosage & administration 0.5 ml/liter of drinking water for 3 successive days

Package 1 liter

الاستخدام :

فينورول (منشط كبد)

فينورول يوصي باستخدامه كعلاج داعم في حالات امراض الكبد مثل الالتهابات الفيروسية والبكتيرية التي تصيب الكبد
فينورول مناسب في حالات القصور الكبدي الخفيف او الشديد والكبد الدهني والتسمم بالأدوية والتسممات الكيميائية
الآخري

فينورول يستخدم لإزالة السموم من الكبد وحماية الكبد من الآثار الضارة للسموم الداخليه

فينورول يستخدم لحماية الكبد من متلازمة الكبد الدهني وقصور الكبد وتليف الكبد

فينورول يحتوي علي مستخلص السليمارين الذي له تأثير فعال كمضاد للأكسدة فائق الفاعليه يزيد من إنزيمات مضادات الأكسدة في الكبد لإزالة السموم بشكل مثالي .

Composition

Each one liter contain :

Vit.B1	6gm
Vit.B2	2gm
Vit.B3	10gm
vit.B5	10gm
Vit.B6	15gm
Vit.B12	4gm
Vit.k3	50gm
folic acid	2gm
choline chloride	100gm
selenium	0.2gm
biotin	1gm

Solvents up to 1liter



Indication

Vitamin B complex is involved in many metabolic functions, including energy metabolism, protect birds from anorexia, loss of weight, ruffled feathers, dropping of wings ,paralysis of muscles curled toe paralysis, spasmodic convulsions and jerky movements

Choline prevents fat accumulation in liver and kidney and avoids its pathological changes, improves growth rate and laying rate.

Vitamin k3 is essential for synthesis of prothrombin, thus it plays an important role in clotting mechanisms and also has a protective effect against coccidiosis.

Selenium helps maintaining antioxidant defenses, preventing damages to tissues, improves cell growth, organ development and protein metabolism

Dosage and administration

0.5 – 1 ml / liter of drinking water

Package 1 liter

الاستخدام :

يشارك فيتامين ب المركب في العديد من وظائف التمثيل الغذائي يمنع الكولين تراكم الدهون في الكبد والكلبي ويتجنب التغيرات المرضية ويحسن معدل النمو

فيتامين K3 ضروري لتخليق البروثرومبين وله ايضا تأثير وقائي ضد الكوكسيديا يساعد السليينيوم في الحفاظ علي الدفاعات المضاده للاكسده ويمنع تلف الانسجه ويحسن نمو الخلايا

Nano AD3E

Prevention of vitamin deficiency in poultry

Composition

Each one liter contain :

vit.A	50000000IU
vit.D3	10000000IU
vit.E	10gm
thymol crystal	20gm

Solvents up to 1liter



Indication

Vitamin A is required for normal growth, reproduction and maintenance of epithelial cells in good condition (skin and the linings of the digestive, reproductive, and respiratory tracts).

Vitamin D3 is required for proper absorption and utilization of calcium and phosphorous, which are required for normal growth, bone development, and eggshell formation.

Vitamin E is a powerful antioxidant and important for normal neurological functions.

Thymol crystal enhances the productive and reproductive performances, nutrient bioavailability, immunity and general health of livestock.

Side effect:

Over dosage of vitamin D3 may cause hypocalcaemia in young animals.

Dosage and administration

For oral administration via drinking water.

Poultry :	1 liter per 2,000 liters of drinking water during 3 – 5 days.
Horses, cattle:	5 – 10 ml per animal during 2 – 3 days.
Foals, calves:	5 ml per animal during 2 – 3 days.
sheep, goat:	2 – 3 ml per animal during 2 – 3 days

Package: 1 liter

الاستخدام :

الوقاية من نقص الفيتامينات عند الدواجن.
تعزيز المقاومة للأمراض.
تحسين انتاج البيض ونسبة الفقس.
تعزيز معدلات النمو وتحسين الكفاءة الغذائية.

Composition

Each one liter contain :

Vit E	100gm
Sodium selenite	1.5gm
Zinc sulfate	25gm
biotin	.3gm
Solvents up to 1liter	

Indication

In case of vit E or/and se deficiency in calves, lambs, sheep, goats and poultry.

Increase hatchability of egg-

Increase production and solve fertility problems & feathering.

After molting processes.

-Encephalomalacia (Crazy Chick Disease), muscular dystrophy (White Muscle Disease, Stiff Lamb Disease)

Side effect:

None

Dosage and administration

For oral administration via drinking water.

Calves, lambs, sheep, goats 10 ml per 50 kg bodyweight during 5 – 10 days.

Poultry : 1 – 2 ml per litre of drinking water during 5 – 10 days

Medicated drinking water should be used within 24 hours

Package: 1 liter



الاستخدام :

• مضاد أكسدة يساهم في سلامة الانسجة الهيكلية.
• يدعم النمو العصبي ويزيد الانتاجيه.
• ينظم المناعة ويعالج انخفاض مشاكل الفقس والعقم.
• رافع مناعة جيد في العديد من الحالات.

Nano k3

Prevention of vitamin deficiency in poultry

Composition

Each one liter contain :

Vit.k	200gm
chellated iron	50gm
chellated zinc	50gm
Solvents up to 1liter	



Indication

Nano k3 is powerfully effected in poultry and other animals for:
prevention and treatment of hemorrhage associated with various diseases, such as coccidiosis , gumboro.
treatment of hemorrhagic syndromes due to Vitamin K deficiency.
Prevention and reduction of blood spots in eggs.
Activation of several body enzymes, help in blood formation.
Improvement of growth, immune system and help in well feathering.

Dosage and administration

Prevention: 0.5ml/liter of drinking water for 3-5days

Treatment: 1ml/liter of drinking water for 3-5days

Package: 1 liter

الاستخدام :

- يعتبر فيتامين K3 اساسيا لتصنيع البروثرومبين وبالتالي هو يلعب دورا مهما في آلية تجلط الدم وله تأثير وقائي ايضا ضد الاصابه بالكوكسيديا
- منع وايقاف النزيف في حالات الاصابه بالكوكسيديا والجمبورو
- قبل واثناء قص المناكير وايضا لسرعة التئام الاغشيه الداخليه للجسم

Composition

Each 1Kg contains:

Vit. C	200 gm
Salicylic acid	50 gm
Betaine HCl	50 gm
Sodium chloride	50 gm
Potassium chloride	50 gm
Menthol crystals	20 gm
Dextrose up to 1 kg	

Applications

Highly recommended during heat stress

conditions as it is supported with vit. C which has super potent anti-stress action.

Has a great ability to overcome free radicals generated during abnormal conditions.

Also indicated for poultry in other different disadvantaged conditions as stress caused by vaccination, diseases, transport, high humidity, high ammonia level&debeaking.

Improving FCR, body temperature &respiration after heat stress exposure.

Preserving electrolyte balance.

Reducing incidence of ascites.

Dosage & administration:

0.5gm / liter of drinking water.

Package:

1 kg box



فيو ستريس (مضاد إجهاد حراري)

فيوستريس يوصي به بشدة أثناء ظروف الأجهاد الحراري

فيوستريس يشار إليه أيضا للدواجن التي تعاني من ظروف سيئة مختلفه مثل الإجهاد الناجم عن التطعيم والأمراض والنقل والرطوبة العاليه وارتفاع نسبة الامونيا وخفض درجة الحرارة

فيوستريس يقوم بتحسين معدل التحويل الغذائي ودرجة حرارة الجسم والتنفس بعد

التعرض للإجهاد الحراري

CLEARX

Intestinal antiseptic

Composition

Formic acid	200g
Acetic acid	200g
Citric acid	200g
Orthophosphoric acid	200g
Allicin	1000mg
Capsicum	1000mg
Copper sulfate	20g
Distilled water up to 1000ml	



Clearx is used to disinfect intestine from pathogenic bacteria as E-coli, salmonella and clostridia.

Clearx is used to increase length of villi which secrete more enzymes and increase the surface area of digestion and absorption.

Clearx is used to increase pancreatic secretions.

Clearx is used to activate digestive enzymes.

Clearx is used to improve feed intake and FCR.

Dosage and administration

0.5 -1 ml/liter of drinking water for 3 days.

Package: 1 liter

الاستخدام :

كليركس (مطهر معوي)

كليركس يعمل كمطهر معوي ضد الاصابه بالسالمونيلا واي كولاي والكولستريديا والتي تسبب اسهالات ونفوق وقله معدلات التحويل الغذائي

Composition

Each 1Kg contains:

Calcium gluconate	120 gm
Phosphoric acid	160 gm
Zinc sulphate	8000 mg
Copper acetate	800 mg
Magnesium sulphate	2400 mg
Manganese sulphate	2400 mg
Sodium selenite	230mg
Distilled water up to 1 liter	

**Applications**

Recommended as a supportive treatment in all cases of low feed intake due to either stress conditions and or different types of infections.

Supporting poultry chickens with balanced mineral supplement to replenish deficiency of them and efficiently overcome stress conditions.

Improving calcium absorption to avoid rickets and bone disorders

Enhancing bone and skeletal muscle development.

Promoting early feathering of poultry chicks.

Modulating immune response for optimum protection.

Improving egg shell quality and increase egg production.

Improving feed intake and FCR for maximum growth rate and good health conditions.

Dosage & administration:

1ml/ liter of drinking water.

Package: 1 liter

الاستخدام

فيوجي فوس (أملاح معدنية)

فيوجي فوس تركيبة متوازنة من الاملاح المعدنية والعناصر اللازمة للتمثيل الغذائي وتوازن معدلات الكالسيوم والفوسفور بالجسم لمنع الكساح وزيادة صلابة قشرة البيض .

فيوجي فوس يقوم بتعزيز نمو العظام والعضلات الهيكلية .

VUG PHARMA

VETERINARY UNITED GROUP

FOR ANIMAL HEALTH PRODUCTS

المجموعة البيطرية
..... المتحدة

